

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/
For post cut-off updates, select View Facility Data in ADM.

Print Date: 09/24/2026
Effective Date: 09/03/2026

1 ASSOC CITY:	LAS VEGAS	4 STATE: NV	LOC ID: LAS	FAA SITE NR: 13083.*A
2 AIRPORT NAME:	HARRY REID INTL		5 COUNTY: CLARK, NV	
3 CBD TO AIRPORT (NM): 5 S		6 REGION/ADO: AWP /PHX	7 SECT AERO CHT: LAS VEGAS	

GENERAL		SERVICES		BASED AIRCRAFT
				Source: Self-reported
10 OWNERSHIP:	PUBLIC	70 FUEL:	100 100LL A1+	90 SINGLE ENG: 2
11 OWNER:	CLARK COUNTY			91 MULTI ENG: 3
12 ADDRESS:	P O BOX 11005	71 AIRFRAME RPRS:	MAJOR	92 JET: 138
	LAS VEGAS, NV 89111	72 PWR PLANT RPRS:	MAJOR	93 HELICOPTERS: 45
13 PHONE NR:	702-261-5211	73 BOTTLE OXYGEN:	HIGH	TOTAL: 188
14 MANAGER:	BRIAN FREEBURG	74 BULK OXYGEN:	HIGH/LOW	
15 ADDRESS:	5757 WAYNE NEWTON BLVD	75 TSNT STORAGE:	HGR TIE	94 GLIDERS:
	LAS VEGAS, NV 89119	76 OTHER SERVICES:	AFRT,AMB,AVNCS, CARGO,CHTR,INSTR, RNTL,SALES,SURV	95 MILITARY:
16 PHONE NR:	702-261-5333			96 ULTRA-LIGHT: VTOL:
17 ATTENDANCE SCHEDULE:				
MONTHS	DAYS	HOURS		
ALL	ALL	ALL		
		FACILITIES		OPERATIONS
				Information on aircraft operations is available from FAA's Aviation System Performance Metrics https://aspm.faa.gov
18 AIRPORT USE:	PUBLIC	80 ARPT BCN:	WG	
19 ARPT LAT:	36-4-49.234N ESTIMATED	81 ARPT LGT SKED:	SS-SR	
20 ARPT LONG:	115-9-8.815W	BCN LGT SKED:	SS-SR	
21 ARPT ELEV:	2183.1 SURVEYED	82 UNICOM:	122.950	
22 ACREAGE:	2,800	83 WIND INDICATOR:	YES-L	
23 RIGHT TRAFFIC:	19R 01R	84 SEGMENTED CIRCLE:	NONE	
24 NON-COMM LANDING:	NO	85 CONTROL TWR:	YES	
25 NPIAS/FED AGREEMENTS:	YES / NGPSY	86 FSS:	RENO	
26 FAR 139 INDEX:	I E S 05/0173	87 FSS ON ARPT:	NO	
		88 FSS PHONE NR:		
		89 TOLL FREE NR:	1-800-WX-BRIEF	

RUNWAY DATA		01L/19R	01R/19L	08L/26R	08R/26L
30 RUNWAY IDENT:		Y	Y	Y	Y
AVBL FOR PART 121/380 OPS:					
31 LENGTH:		9,770	9,769	14,835	10,526
32 WIDTH:		150	150	150	150
33 SURF TYPE-COND:		CONC-G	CONC-G	CONC-G	CONC-E
34 SURF TREATMENT:		GRVD	GRVD	GRVD	GRVD
35 GROSS WT: S		120.0	120.0	120.0	120.0
36 (IN THSDS) D		250.0	250.0	250.0	250.0
37 2D		550.0	550.0	550.0	550.0
38 2D/2DS		1,120.0	1,120.0	1,120.0	1,120.0
39 PCN / PCR:		1090/R/B/W/T (PCR)	1230/R/B/W/T (PCR)	1130/R/C/W/T (PCR)	1150/R/B/W/T (PCR)
LIGHTING/APCH AIDS					
40 EDGE INTENSITY:		HIGH	MED	HIGH	HIGH
42 RWY MARK TYPE-COND:		PIR- G / NPI- G	NPI- G / NPI- G	NPI- G / PIR- G	NPI- G / PIR- G
43 VGSi:		P4L / P4L	P4L / P4L	P4L / P4L	P4L / P4L
44 THR CROSSING HGT:		63 / 80	76 / 75	76 / 84	61 / 84
45 VISUAL GLIDE ANGLE:		3.40 / 3.04	3.00 / 3.00	3.00 / 3.00	3.00 / 3.00
46 CNTRLN-TDZ:		N - N / N - N	N - N / N - N	N - N / N - N	- / -
47 RVR-RVV:		- N / - N	- N / - N	- N / - N	- / -
48 REIL:		N / Y	Y / Y	N / N	Y /
49 APCH LIGHTS:		MALSF /	/	/ MALS	/ MALSF
OBSTRUCTION DATA					
50 FAR 77 CATEGORY:		PIR / C	C / C	B(V) / PIR	B(V) / PIR
51 DISPLACED THR:		586 / 783	490 / 877	2459 / 1399	/
52 CTLG OBSTN:		RR / FENCE	RR / POLE	HANGAR /	POLE /
53 OBSTN MARKED/LGTD:		/	/	/	/
54 HGT ABOVE RWY END:		48 / 25	41 / 17	25 /	53 /
55 DIST FROM RWY END:		1,225 / 190	825 / 929	200 / 0	1,257 / 0
56 CNTRLN OFFSET:		500L / 150R	600R / 17R	500L /	540R /
57 OBSTN CLNC SLOPE:		21:1 / 0:1	15:1 / 42:1	50:1 / 50:1	19:1 / 50:1
58 CLOSE-IN OBSTN:		N / N	N / N	N / N	N / N
DECLARED DISTANCES					
60 TAKE OFF RUN AVBL (TORA):		8,988 / 9,770	9,769 / 9,769	14,835 / 14,515	10,526 / 10,526
61 TAKE OFF DIST AVBL (TODA):		8,988 / 10,182	10,166 / 10,169	15,419 / 15,037	10,526 / 10,526
62 ACLT STOP DIST AVBL (ASDA):		8,988 / 9,199	9,274 / 9,684	14,419 / 14,037	10,526 / 10,526
63 LNDG DIST AVBL (LDA):		8,402 / 8,416	8,784 / 8,807	11,960 / 12,638	10,526 / 10,526

110 REMARKS:	
A 014	JAMES CHRISLY 702-261-5125. 24 HR OPS - 702-261-5605/5211.
A 039	RWY 01L/19R PCR VALUE: 1090/R/B/W/T
A 039	RWY 01R/19L PCR VALUE: 1230/R/B/W/T
A 039	RWY 08L/26R PCR VALUE: 1130/R/C/W/T
A 039	RWY 08R/26L PCR VALUE: 1150/R/B/W/T
A 043	RWY 26L PAPI UNUSBL BYD 8 DEGS LEFT AND 9 DEGS RIGHT OF CNTRLN.
A 057	RWY 01L APCH RATIO 34:1 TO DTHR.
111 INSPECTOR: (F)	112 LAST INSP: 03/25/2024 113 LAST INFO RES:

AIRPORT MASTER RECORD

1 ASSOC CITY:	LAS VEGAS	4 STATE: NV	LOC ID: LAS	FAA SITE NR:	13083.*A
2 AIRPORT NAME:	HARRY REID INTL		5 COUNTY: CLARK, NV		
3 CBD TO AIRPORT (NM): 5 S		6 REGION/ADO: AWP /PHX	7 SECT AERO CHT: LAS VEGAS		

GENERAL			SERVICES	BASED AIRCRAFT
				Source: Self-reported
10 OWNERSHIP:	PUBLIC		70 FUEL:	100 100LL A1+
11 OWNER:	CLARK COUNTY			90 SINGLE ENG: 2
12 ADDRESS:	P O BOX 11005		71 AIRFRAME RPRS:	MAJOR
	LAS VEGAS, NV 89111		72 PWR PLANT RPRS:	MAJOR
13 PHONE NR:	702-261-5211		73 BOTTLE OXYGEN:	HIGH
14 MANAGER:	BRIAN FREEBURG		74 BULK OXYGEN:	HIGH/LOW
15 ADDRESS:	5757 WAYNE NEWTON BLVD		75 TSNT STORAGE:	HGR TIE
	LAS VEGAS, NV 89119		76 OTHER SERVICES:	AFRT,AMB,AVNCS, CARGO,CHTR,INSTR, RNTL,SALES,SURV
				94 GLIDERS:
				95 MILITARY:
16 PHONE NR:	702-261-5333			96 ULTRA-LIGHT: VTOL:
17 ATTENDANCE SCHEDULE:				
MONTHS	DAYS	HOURS		
ALL	ALL	ALL		
			FACILITIES	OPERATIONS
			80 ARPT BCN:	WG
			81 ARPT LGT SKED:	SS-SR
			BCN LGT SKED:	SS-SR
18 AIRPORT USE:	PUBLIC		82 UNICOM:	122.950
19 ARPT LAT:	36-4-49.234N ESTIMATED		83 WIND INDICATOR:	YES-L
20 ARPT LONG:	115-9-8.815W		84 SEGMENTED CIRCLE:	NONE
21 ARPT ELEV:	2183.1 SURVEYED		85 CONTROL TWR:	YES
22 ACREAGE:	2,800		86 FSS:	RENO
23 RIGHT TRAFFIC:	19R 01R		87 FSS ON ARPT:	NO
24 NON-COMM LANDING:	NO		88 FSS PHONE NR:	
25 NPIAS/FED AGREEMENTS:	YES / NGPSY		89 TOLL FREE NR:	1-800-WX-BRIEF
26 FAR 139 INDEX:	I E S 05/1973			
				Information on aircraft operations is available from FAA's Aviation System Performance Metrics https://aspm.faa.gov

RUNWAY DATA	
30 RUNWAY IDENT:	
AVBL FOR PART 121/380 OPS:	
31 LENGTH:	
32 WIDTH:	
33 SURF TYPE-COND:	
34 SURF TREATMENT:	
35 GROSS WT:	S
36 (IN THSDS)	D
37	2D
38	2D/2DS
39 PCN / PCR:	
LIGHTING/APCH AIDS	
40 EDGE INTENSITY:	
42 RWY MARK TYPE-COND:	
43 VGSI:	
44 THR CROSSING HGT:	
45 VISUAL GLIDE ANGLE:	
46 CNTRLN-TDZ:	
47 RVR-RVV:	
48 REIL:	
49 APCH LIGHTS:	
OBSTRUCTION DATA	
50 FAR 77 CATEGORY:	
51 DISPLACED THR:	
52 CTLG OBSTN:	
53 OBSTN MARKED/LGTD:	
54 HGT ABOVE RWY END:	
55 DIST FROM RWY END:	
56 CNTRLN OFFSET:	
57 OBSTN CLNC SLOPE:	
58 CLOSE-IN OBSTN:	
DECLARED DISTANCES	
60 TAKE OFF RUN AVBL (TORA):	
61 TAKE OFF DIST AVBL (TODA):	
62 ACLT STOP DIST AVBL (ASDA):	
63 LNDG DIST AVBL (LDA):	

110 REMARKS:	
A 057	RWY 19R APCH RATIO 20:1 TO DTHR.
A 057	RWY 01R APCH RATIO 23:1 TO DTHR.
A 057	RWY 19L APCH RATIO 50:1 TO DTHR.
A 057	RWY 08L APCH RATIO 50:1 TO DTHR.
A 110-001	EXTSV GLDR/SOARING OPNS WKENDS & HOLDS; SR-SS; LAS R187/020; ALTS UP TO BUT NOT INCLG FL180. GLDRS RMN CLEAR OF THE TCA BUT OTHERWISE OPR WI THE ENTIRE SW QUAD OF THE TCA VEIL.
A 110-002	ALL NON-STD RWY OPNS PPR FM DEPT OF AVN.
A 110-003	TBJT DEPS NOT PMTD ON RWY 01R/19L OR RWY 01L/19R 2000-0800. XCPNS FOR WX OR OPNL NECESSITY.

AIRPORT MASTER RECORD

1 ASSOC CITY: LAS VEGAS		4 STATE: NV		LOC ID: LAS		FAA SITE NR: 13083.*A	
2 AIRPORT NAME: HARRY REID INTL				5 COUNTY: CLARK, NV			
3 CBD TO AIRPORT (NM): 5 S		6 REGION/ADO: AWP /PHX		7 SECT AERO CHT: LAS VEGAS			

GENERAL

10 OWNERSHIP: PUBLIC

11 OWNER: CLARK COUNTY

12 ADDRESS: P O BOX 11005
LAS VEGAS, NV 89111

13 PHONE NR: 702-261-5211

14 MANAGER: BRIAN FREEBURG

15 ADDRESS: 5757 WAYNE NEWTON BLVD
LAS VEGAS, NV 89119

16 PHONE NR: 702-261-5333

17 ATTENDANCE SCHEDULE:
MONTHS DAYS ALL

18 AIRPORT USE: PUBLIC

19 ARPT LAT: 36-4-49.234N ESTIMATED

20 ARPT LONG: 115-9-8.815W

21 ARPT ELEV: 2183.1 SURVEYED

22 ACREAGE: 2,800

23 RIGHT TRAFFIC: 19R 01R

24 NON-COMM LANDING: NO

25 NPIAS/FED AGREEMENTS: YES / NGPSY

26 FAR 139 INDEX: I E S 05/1973

FACILITIES

80 ARPT BCN: WG

81 ARPT LGT SKED: SS-SR

BCN LGT SKED: SS-SR

82 UNICOM: 122.950

83 WIND INDICATOR: YES-L

84 SEGMENTED CIRCLE: NONE

85 CONTROL TWR: YES

86 FSS: RENO

87 FSS ON ARPT: NO

88 FSS PHONE NR:

89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

BASED AIRCRAFT

Source: Self-reported

90 SINGLE ENG: 2

91 MULTI ENG: 3

92 JET: 138

93 HELICOPTERS: 45

TOTAL: 188

94 GLIDERS:

95 MILITARY:

96 ULTRA-LIGHT: VTOL:

RUNWAY DATA

30 RUNWAY IDENT: AVBL FOR PART 121/380 OPS:

31 LENGTH:

32 WIDTH:

33 SURF TYPE-COND:

34 SURF TREATMENT:

35 GROSS WT: S

36 (IN THSDS) D

37 2D

38 2D/2DS

39 PCN / PCR:

LIGHTING/APCH AIDS

40 EDGE INTENSITY:

42 RWY MARK TYPE-COND:

43 VGSI:

44 THR CROSSING HGT:

45 VISUAL GLIDE ANGLE:

46 CNTRLN-TDZ:

47 RVR-RVV:

48 REIL:

49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY:

51 DISPLACED THR:

52 CTLG OBSTN:

53 OBSTN MARKED/LGTD:

54 HGT ABOVE RWY END:

55 DIST FROM RWY END:

56 CNTRLN OFFSET:

57 OBSTN CLNC SLOPE:

58 CLOSE-IN OBSTN:

DECLARED DISTANCES

60 TAKE OFF RUN AVBL (TORA):

61 TAKE OFF DIST AVBL (TODA):

62 ACLT STOP DIST AVBL (ASDA):

63 LNDG DIST AVBL (LDA):

110 REMARKS:
A 110-004 ACFT MAY EXPERIENCE REFLECTION OF SUN FM GLASS HOTELS LCTD NW OF ARPT. REFLECTION MAY OCCUR AT VARIOUS ALTS, HDGS, & DSTCS FM ARPT.
A 110-006 GA PRKG VERY LTD. FOR PRKG AVAILABILITY CTC EITHER FBO (702) 736-1830 OR (702) 739-1100.
A 110-008 RWY 08L 589 FT CWY; RWY 26R 645 FT CWY.
A 110-010 LGTD GOLF RANGE 1400 FT S OF RWYS 01L/19R AND 01R/19L.
A 110-011 TIEDOWN FEE.
A 110-013 (E98) PLUS 64 SHELTERS & 24 SHEDS.
A 110-025 LRG NR OF BIRDS AND BATS INVOF OF ARPT BTWN SS AND SR.

111 INSPECTOR: (F)112 LAST INSP: 03/25/2024113 LAST INFO RES:

AIRPORT MASTER RECORD

1 ASSOC CITY:	LAS VEGAS	4 STATE: NV	LOC ID: LAS	FAA SITE NR: 13083.*A
2 AIRPORT NAME:	HARRY REID INTL		5 COUNTY: CLARK, NV	
3 CBD TO AIRPORT (NM): 5 S		6 REGION/ADO: AWP /PHX	7 SECT AERO CHT: LAS VEGAS	

GENERAL		SERVICES		BASED AIRCRAFT
				Source: Self-reported
10 OWNERSHIP:	PUBLIC	70 FUEL:	100 100LL A1+	90 SINGLE ENG: 2
11 OWNER:	CLARK COUNTY			91 MULTI ENG: 3
12 ADDRESS:	P O BOX 11005	71 AIRFRAME RPRS:	MAJOR	92 JET: 138
	LAS VEGAS, NV 89111	72 PWR PLANT RPRS:	MAJOR	93 HELICOPTERS: 45
13 PHONE NR:	702-261-5211	73 BOTTLE OXYGEN:	HIGH	TOTAL: 188
14 MANAGER:	BRIAN FREEBURG	74 BULK OXYGEN:	HIGH/LOW	
15 ADDRESS:	5757 WAYNE NEWTON BLVD	75 TSNT STORAGE:	HGR TIE	94 GLIDERS:
	LAS VEGAS, NV 89119	76 OTHER SERVICES:	AFRT,AMB,AVNCS, CARGO,CHTR,INSTR, RNTL,SALES,SURV	95 MILITARY:
16 PHONE NR:	702-261-5333			96 ULTRA-LIGHT: VTOL:
17 ATTENDANCE SCHEDULE:				
MONTHS	DAYS	HOURS		
ALL	ALL	ALL		
		FACILITIES	OPERATIONS	
18 AIRPORT USE:	PUBLIC	80 ARPT BCN:	WG	Information on aircraft operations
19 ARPT LAT:	36-4-49.234N ESTIMATED	81 ARPT LGT SKED:	SS-SR	is available from FAA's Aviation
20 ARPT LONG:	115-9-8.815W	BCN LGT SKED:	SS-SR	System Performance Metrics
21 ARPT ELEV:	2183.1 SURVEYED	82 UNICOM:	122.950	https://aspm.faa.gov
22 ACREAGE:	2,800	83 WIND INDICATOR:	YES-L	
23 RIGHT TRAFFIC:	19R 01R	84 SEGMENTED CIRCLE:	NONE	
24 NON-COMM LANDING:	NO	85 CONTROL TWR:	YES	
25 NPIAS/FED AGREEMENTS:	YES / NGPSY	86 FSS:	RENO	
26 FAR 139 INDEX:	I E S 05/1973	87 FSS ON ARPT:	NO	
		88 FSS PHONE NR:		
		89 TOLL FREE NR:	1-800-WX-BRIEF	

RUNWAY DATA
30 RUNWAY IDENT:
AVBL FOR PART 121/380 OPS:
31 LENGTH:
32 WIDTH:
33 SURF TYPE-COND:
34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2DS
39 PCN / PCR:
LIGHTING/APCH AIDS
40 EDGE INTENSITY:
42 RWY MARK TYPE-COND:
43 VGSI:
44 THR CROSSING HGT:
45 VISUAL GLIDE ANGLE:
46 CNTRLN-TDZ:
47 RVR-RVV:
48 REIL:
49 APCH LIGHTS:
OBSTRUCTION DATA
50 FAR 77 CATEGORY:
51 DISPLACED THR:
52 CTLG OBSTN:
53 OBSTN MARKED/LGTD:
54 HGT ABOVE RWY END:
55 DIST FROM RWY END:
56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:
DECLARED DISTANCES
60 TAKE OFF RUN AVBL (TORA):
61 TAKE OFF DIST AVBL (TODA):
62 ACLT STOP DIST AVBL (ASDA):
63 LNDG DIST AVBL (LDA):

110 REMARKS:	
A 110-030	ACFT OPER NEAR THE INT OF TWYS S, D, G AND THE N END OF TWY Z SHOULD BE ALERT AS THERE ARE CLOSELY ALIGNED TWY CNTRLN AND RADIUS TURNS.
A 110-031	ACFT THAT DEP FULL LENGTH OF RWYS 01L AND 08L MUST HOLD AT THE SAME HOLD LINE AS THERE IS NO ROOM TO HOLD BTN THE RWY ENDS AND SUCH ACFT SHOULD VERIFY THAT THEY ARE ON THE CORRECT RWY.
A 110-032	CUST PPR - 702-739-1100/702-736-1830/702-730-6071. GA CUST RSVNS 12 HR PPR. GA CUST & IMG LCT W SIDE BTN FBOS.
A 110-033	WINGSPAN GTR THAN 135 FT PPR FM DEPT OF AVN TO USE TWY H.
A 110-034	NMRS HOP ON WEST SIDE OF ARPT.
A 110-041	RWY STS LGTS ARE IN OPN.
A 110-042	PLA AUZD BTN 0200 & 0600.

AIRPORT MASTER RECORD

1 ASSOC CITY: LAS VEGAS		4 STATE: NV		LOC ID: LAS		FAA SITE NR: 13083.*A	
2 AIRPORT NAME: HARRY REID INTL				5 COUNTY: CLARK, NV			
3 CBD TO AIRPORT (NM): 5 S		6 REGION/ADO: AWP /PHX		7 SECT AERO CHT: LAS VEGAS			

GENERAL

10 OWNERSHIP: PUBLIC

11 OWNER: CLARK COUNTY

12 ADDRESS: P O BOX 11005
LAS VEGAS, NV 89111

13 PHONE NR: 702-261-5211

14 MANAGER: BRIAN FREEBURG

15 ADDRESS: 5757 WAYNE NEWTON BLVD
LAS VEGAS, NV 89119

16 PHONE NR: 702-261-5333

17 ATTENDANCE SCHEDULE:
MONTHS DAYS ALL

HOURS

ALL

FACILITIES

80 ARPT BCN: WG

81 ARPT LGT SKED: SS-SR

BCN LGT SKED: SS-SR

82 UNICOM: 122.950

83 WIND INDICATOR: YES-L

84 SEGMENTED CIRCLE: NONE

85 CONTROL TWR: YES

86 FSS: RENO

87 FSS ON ARPT: NO

88 FSS PHONE NR:

89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

BASED AIRCRAFT

Source: Self-reported

90 SINGLE ENG: 2

91 MULTI ENG: 3

92 JET: 138

93 HELICOPTERS: 45

TOTAL: 188

94 GLIDERS:

95 MILITARY:

96 ULTRA-LIGHT: VTOL:

RUNWAY DATA

30 RUNWAY IDENT: AVBL FOR PART 121/380 OPS:

31 LENGTH:

32 WIDTH:

33 SURF TYPE-COND:

34 SURF TREATMENT:

35 GROSS WT: S

36 (IN THSDS) D

37 2D

38 2D/2DS

39 PCN / PCR:

LIGHTING/APCH AIDS

40 EDGE INTENSITY:

42 RWY MARK TYPE-COND:

43 VGSI:

44 THR CROSSING HGT:

45 VISUAL GLIDE ANGLE:

46 CNTRLN-TDZ:

47 RVR-RVV:

48 REIL:

49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY:

51 DISPLACED THR:

52 CTLG OBSTN:

53 OBSTN MARKED/LGTD:

54 HGT ABOVE RWY END:

55 DIST FROM RWY END:

56 CNTRLN OFFSET:

57 OBSTN CLNC SLOPE:

58 CLOSE-IN OBSTN:

DECLARED DISTANCES

60 TAKE OFF RUN AVBL (TORA):

61 TAKE OFF DIST AVBL (TODA):

62 ACLT STOP DIST AVBL (ASDA):

63 LNDG DIST AVBL (LDA):

110 REMARKS:
A 110-043 CTN PAJA INVOF ARPT.
A 110-044 WHEN SPL EVENT PRKG PPR PROGRAM NOTAM IS ACTV, TSNT ACFT OPERS NOT PERM BASED NEED TO OBTAIN A PPR NR FM AN FBO FOR EA LDG. PPR APPVL & CONFIRMATION NRS CAN BE OBTAINED FM THE SEL FBO AT 702-261-7775. PPR CONFIRMATION NRS SHOULD BE ENTERED IN THE RMKS SECTION OF EACH FLT PLAN.
A 110-045 ALL ACFT CTC RAMP CTL ON FREQ 124.4 FOR OPS AT A, B, C GATES, AND GA, CUSTOMS; CTC RAMP CTL FREQ 127.9 FOR OPNS AT D AND E GATES AND CARGO RAMP PRIOR TO ENTERING RAMP OR PUSHING BACK FM GATE OR PRKG SPOT. RAMP CTL OPR HRS 0500-0100L. WHEN RAMP IS CLSD (0100-0500L) BROADCAST ALL NON-MOVEMENT AREA OPNS ON UNICOM 122.95.
A 110-046 PILOTS CONDUCTING EFVS OPS; BE AWARE LED ALS IN USE RWY 26L.
A 110-047 GA CBP RSVN REQ - WEBSITE.
A 110-048 DLY WX BLN LAUNCH APRX 1100Z & 2300Z, 0400L & 1600L DRG DST, 0300L & 1500L ALL OTHER TIMES, 3.1 NM SW, APRX 221 DEGS, FM TWR.
A 110-049 PILOTS CONDUCTING EFVS OPS; BE AWARE LED ALS IN USE RWY 26L.

111 INSPECTOR: (F) 112 LAST INSP: 03/25/2024 113 LAST INFO RES: